

1.

1.1

- 1 2015 1 1
- 2 2018 12 29
- 3 2016 1 1
- 4 2018 1 1
- 5 2018 12 29
- 6 2016 11 7
- 7 2012 7 1
- 8 2018 12 26
- 9 253
- 10
- 2003 100
- 11 2011 [2011] 9
- 12 DB43/023- 2005
- 13 2006 88
- 14 ([2006] 28)
- 15 [2012] 134

1.2

- 1 HJ2. 1- 2011
- 2 HJ2. 2- 2008
- 3 HJ/T2. 3- 93
- 4 HJ610- 2016
- 5 HJ2. 4- 2009
- 6 HJ/T169- 2004
- 7 HJ19- 2011

2

	40	35					
7.2		"	"	1998	10		
							306
	207				1		
68	2006						
2.1							
		-					
						465	38
	427						
	"	(1990)"				(1992) 160	
		(GB18306-2001)				6	
	0.05g						
2.2							
							"
							"
	17.0		1	7		23.2	24.0
	1344.5				4	7	
	1589.5		249	297			

	17.0
	40.3
	0.2
7	30.4
1	4.4
	43
	-15.0

2

	1344.5mm
	1751.2m
	1018.2m
	192.5mm
	515.3mm
	1.2mm
	151

3

1290mm

4

	69.5%
	79.0%
	15.6%
7	55%
1	72%

5

		NW	2.7m/s
		S	2.6m/s
		NNW	2.8m/s
NW 1980.4.13			20.7m/s

6

1008.2 hPa

7

68.5

293.3

8

30cm

9	5cm
10	26.4
11	49.5
12	1677.1hr
13	1410.3 kc/cm ²

3.

5	432	1800
---	-----	------

27.31m

36.65m

23.25m

37.37m

7.76m

2131m³/s

12900m³/s

23000m³/s

248m³/s

90%

410m³/s

120m³/s

2.6m/s

0.3m/s

0.45m/s

4.

180m³/h

5.

1						
2					“ ” 3000t/h	
3					4. 5t/d	
4					4. 5t/d	
5						
6						24
7						

6.

30m³/h

75m³/h

